MELODY SERIES

Dynasty Fireplaces











Find Your Electric Spark

The fireplace is a staple in our homes. We gather around it for warmth, and to share moments together. Certainly nothing beats the coziness of a flickering flame! In our modern times the fireplace has remained a key feature in our homes, but has evolved to incoporate more design, technology, and ergonomic features. You can be sure our electric fireplaces will be a perfect fit for your space, built with high grade m terials, and backed by a solid warranty & support. Instantly bring comfort and style into your home with Dynasty's electric fireplaces!

GO ELECTRIC





- Efficient front facing heater
- High/low & timer heater setting

- Overheat protection & auto shut-off
- Certified to strict building codes

- Hard-wire compatible
- Serviceable from front of unit

- Enjoy flames without the heat
- 1, 2, or 3 sided view

- No Harmful Fumes Emitted
- No venting required

- Energy-Efficient LED Lighting
- Connects to smart assistants

The **Melody Series** presents a beautiful glass viewing area and deep flame bed for all of your favorite décor. With its unique firebox design, you can choose from a single-sided, two-sided, or three-sided installation - it is sure to catch your eye every time!

Download the Dynasty App Available on Android and iOS

GET IT ON Google Play

Download on the App Store

MELODY SERIES FEATURES

FLAME OPTIONS

Controllable Red, Ember, and White color and intensities, with color mixing capability.







CONNECTS WITH

amazon alexa

works with the Google Assistant

CONNECTS WITH Control4

IDEAL FOR

- Renovations
- New construction
- Zone Heating
- Residential
- Apartments & Condos
- Restaurants & Lounges

REMOTE CONTROL

- includes thermostat settings




FIREPLACE MEDIA



Crystal and Log sets included

APP CONTROL






MELODY DY-BTS35

Input Voltage:	120 V
Power:	1500 W (high heat) 750 W (low heat)
Power (flame only):	27 W
Outlet Type:	Standard Outlet hard-wired
Certification:	CSA
Heater Timer:	0.5 h - 9 h
Temperature:	16°C - 28°C 60°F - 82°F
Unit Size:	34 3/8" x 12 3/4" x 29"
Flame Viewing Size:	33" x 20"
Cord Length:	72"
Heating Area:	400 sq ft

Optional Trim
converts unit to an insert





MELODY DY-BTS40

Input Voltage:	120 V
Power:	1500 W (high heat) 750 W (low heat)
Power (flame only):	28 W
Outlet Type:	Standard Outlet hard-wired
Certification:	CSA
Heater Timer:	0.5 h - 9 h
Temperature:	16°C - 28°C 60°F - 82°F
Unit Size:	40 5/8″ x 12 3/4″ x 25″
Flame Viewing Size:	39 3/8″ x 15 3/4″
Cord Length:	72″
Heating Area:	400 sq ft


MELODY DY-BTS60

Input Voltage:	120 V
Power:	1500 W (high heat) 750 W (low heat)
Power (flame only):	46 W
Outlet Type:	Standard Outlet hard-wired
Certification:	CSA
Heater Timer:	0.5 h - 9 h
Temperature:	16°C - 28°C 60°F - 82°F
Unit Size:	64¼″ x 12 3/4″ x 25″
Flame Viewing Size:	63″ x 15 3/4″
Cord Length:	72″
Heating Area:	400 sq ft




MEASUREMENTS & SPECIFICATIONS

PRODUCT DIMENSIONS



FRAMING



										FRAMING		
Model	A	B	C	D	E	F	G	H	I	W	H	Depth
DY-BTS35	872 mm.	840 mm.	739 mm.	506 mm.	110 mm.	325 mm.	220 mm.	315 mm.	15 mm.	850 mm.	749 mm.	320 mm.
	34 3/8 in.	33 in.	29 in.	20 in.	4 3/8 in.	12 3/4 in.	8 5/8 in.	12 3/8 in.	1/2 in.	33 1/2 in.	29 1/2 in.	12 1/2 in.
DY-BTS40	1032 mm.	1000 mm.	633 mm.	400 mm.	110 mm.	325 mm.	220 mm.	315 mm.	15 mm.	1010 mm.	643 mm.	320 mm.
	40 5/8 in.	39 3/8 in.	25 in.	15 3/4 in.	4 3/8 in.	12 3/4 in.	8 5/8 in.	12 3/8 in.	1/2 in.	39 3/4 in.	25 3/8 in.	12 1/2 in.
DY-BTS60	1632 mm.	1600 mm.	633 mm.	400 mm.	110 mm.	325 mm.	220 mm.	315 mm.	15 mm.	1610 mm.	643 mm.	320 mm.
	64 1/4 in.	63 in.	25 in.	15 3/4 in.	4 3/8 in.	12 3/4 in.	8 5/8 in.	12 3/8 in.	1/2 in.	63 3/8 in.	25 3/8 in.	12 1/2 in.







Bringing You Warmth & Comfort

- Electric Fireplaces
- Natural Stone Fireplace Mantels
- Home & Garden

Visit us at: dynastyfireplaces.com

Your Authorized Dynasty Fireplaces Dealer:

FOLLOW US:

DYNASTY FirePlaces